

	U	1	Document ID	Issu Date	Pages	Title	Curr nt OR
1	<input type="checkbox"/>	<input type="checkbox"/>	US 5638057 A	19970610	34	Ground fault detection and measurement system for airfield lighting system	340/947
2	<input type="checkbox"/>	<input type="checkbox"/>	US 5625260 A	19970429	11	Systems and methods for transmitting pulse signals	315/136
3	<input type="checkbox"/>	<input type="checkbox"/>	US 4977353 A	19901211	17	Communication system for single point emergency lighting	315/130

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1	315/125; 315/126; 315/130; 324/500; 324/509; 340/642; 340/931; 340/953		Williams, Harold R.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	315/130; 315/131; 315/256; 315/291		Millgard, Lars	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	307/66; 315/131; 315/132; 315/312; 320/132; 320/DIG.18 ; 340/516; 340/636.15 ; 340/636.2		Helal, Mohammed A. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Image Doc. Displayed	PT
1	US 5638057	<input type="checkbox"/>
2	US 5625260	<input type="checkbox"/>
3	US 4977353	<input type="checkbox"/>

L Number	Hits	Search Text	DB	Time stamp
1	0	(350/121).CCLS.	USPAT; US-PGPUB	2003/11/24 17:55
2	359	(356/121).CCLS.	USPAT; US-PGPUB	2003/11/24 17:55
3	1982	(315/130-136,149-155).CCLS.	USPAT; US-PGPUB	2003/11/24 17:55
4	3854	(340/3.1-3.9,7.1-7.36,506).CCLS.	USPAT; US-PGPUB	2003/11/24 17:56
5	6186	((356/121).CCLS.) or ((315/130-136,149-155).CCLS.) or ((340/3.1-3.9,7.1-7.36,506).CCLS.)	USPAT; US-PGPUB	2003/11/24 17:56
6	102	((356/121).CCLS.) or ((315/130-136,149-155).CCLS.) or ((340/3.1-3.9,7.1-7.36,506).CCLS.)) and (monitor\$5 with (luminaire\$2 or lighting\$2))	USPAT; US-PGPUB	2003/11/24 17:57
7	52	((356/121).CCLS.) or ((315/130-136,149-155).CCLS.) or ((340/3.1-3.9,7.1-7.36,506).CCLS.)) and (monitor\$5 with (luminaire\$2 or lighting\$2)) and (current with voltage)	USPAT; US-PGPUB	2003/11/24 17:59
8	10	((356/121).CCLS.) or ((315/130-136,149-155).CCLS.) or ((340/3.1-3.9,7.1-7.36,506).CCLS.)) and (monitor\$5 with (luminaire\$2 or lighting\$2)) and (current with voltage)) and (display with status)	USPAT; US-PGPUB	2003/11/24 17:58
9	3	((356/121).CCLS.) or ((315/130-136,149-155).CCLS.) or ((340/3.1-3.9,7.1-7.36,506).CCLS.)) and (monitor\$5 with (luminaire\$2 or lighting\$2)) and ((current near3 measur\$7) with (voltage near3 measur\$7))	USPAT; US-PGPUB	2003/11/24 18:00